

Notice of Allowability

Application No.

10/020,849

Examiner

Stephen J. Cherry

Applicant(s)

CHASSIN ET AL.

Art Unit

2863

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment of 3-9-04.
2. ☒ The allowed claim(s) is/are 23-28 and 30-34.
3. ☒ The drawings filed on 12 December 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 3-25-02
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

Election/Restrictions

Applicant's election without traverse of claims 23-28 and 30 in the paper of 3-9-04 is acknowledged.

Allowable Subject Matter

Claims 23-28, 30, and 31-34 are allowed.

The following is an examiner's statement of reasons for allowance:

The independent claim 23 recites, "determining unit status of the system with the processor based at least on the occupancy of the building, the operational status of the fan, the validity of the outdoor air fraction, the outdoor air fraction status, and the current mode status". This feature in combination with the remaining claimed structure avoids the prior art of record.

The independent claim 30 recites, "means for determining unit status of said system based at least on said occupancy of said building, said operational status of said fan, said validity of said outdoor air fraction, said outdoor air fraction status and said current mode status". This feature in combination with the remaining claimed structure avoids the prior art of record.


The independent claim 31 recites, "wherein the processor is operable to determine the unit status of the air treatment system based on the occupancy of the building, the operational status of the fan, the validity of the outdoor air fraction, the

Art Unit: 2863

outdoor air fraction status, and the heating cooling mode status of the air treatment system". This feature in combination with the remaining claimed structure avoids the prior art of record.

U.S. Patent 5,292,280 to Janu et al. determines the ratio of fresh air delivered to a building in equation 5, but does not teach determining the validity of this quantity.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."



John Barlow
Supervisory Patent Examiner
Technology Center 2800